

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	atherton-scott.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:30
S2	358	192/105C.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:30
S3	23	clutch adj lockout	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:38
S4	19	clutch adj lockout	USOCR	OR	ON	2004/10/26 09:36
S5	12	clutch SAME (boss and bolt and cut\$out)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:39
S6	124	clutch SAME (boss and bolt and cut\$out)	USOCR	OR	ON	2004/10/26 09:38
S7	189	474/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:39
S8	234	192/70.29.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:40
S9	6	(Honda.AS. or Banshee.AS.) and centrifugal and ATV	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:43
S10	76	(clutch adj (lockout or cover)) and post	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:44
S11	12	((clutch adj (lockout or cover)) SAME post) and (bolt or screw)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:44
S12	16	((clutch adj (lockout or cover)) SAME post) and (bolt or screw)	USOCR	OR	ON	2007/01/04 08:45
S13	307	192/99A.ccls.	USOCR	OR	ON	2004/10/26 13:29
S14	420	192/99A.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:45

## EAST Search History

S15	0	(post NEAR4 recess) WITH ((screw or bolt) NEAR accommodate\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:46
S16	272	(recess) WITH ((screw or bolt) NEAR accommodate\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:46
S17	5175	((screw or bolt) NEAR accommodate\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:48
S18	4	( ((screw or bolt) NEAR accommodate\$)) and (reduce adj dimension)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:49
S19	9	( ((screw or bolt) NEAR accommodate\$)) and (reduc\$2 adj dimension)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:49
S20	157	( ((screw or bolt) NEAR accommodate\$)) and clutch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:50
S21	11	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and clutch	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:50
S22	2	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "192"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:51
S23	2	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "188"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:51
S24	2	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "192"/\$7.ccls.	USOCR	OR	ON	2007/01/04 08:52
S25	1	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "188"/\$7.ccls.	USOCR	OR	ON	2004/10/26 15:13
S26	281	(recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:52
S27	184	(recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)	USOCR	OR	ON	2004/10/26 15:27

## EAST Search History

S28	159	"192"/\$7.ccls. and flange and ((recess or indent\$5) WITH accommodate\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:53
S29	0	atherton-scott.IN. and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 12:40
S30	2	(clutch adj lockout) and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 12:42
S31	0	(clutch SAME (boss and bolt and cut\$out)) and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 12:44
S32	3	((Honda.AS. or Banshee.AS.) and centrifugal and ATV) and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 12:45
S33	4	(clutch adj (lockout or cover)) and post and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 12:46
S34	6	(recess) WITH ((screw or bolt) NEAR accommodate\$) and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 12:51
S35	5	474/14.ccls. and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 13:00
S36	0	192/70.29.ccls. and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 13:04
S37	2	192/105C.ccls. and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 13:05
S38	2	192/99A.ccls. and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 13:25
S39	0	192/70.29.ccls. and @pd>"20041026"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/18 14:44

## EAST Search History

S40	187	clutch adj (lockout or ((support or backing) adj plate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/18 15:20
S41	74	S40 and bolts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/18 15:23
S42	352	192/70.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:17
S43	12	("2107954"   "2111721"   "2743805"   "3334716"   "3580372"   "4298112"   "5361882"   "5597060").PN. OR ("5785163"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/18 15:38
S44	519	((screw or bolt) WITH (recess\$2 NEAR accommodate\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 07:54
S45	874	((screw or bolt) WITH (recess\$2 NEAR accommodate\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 07:54
S46	355	S45 not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 07:54
S47	27	clutch adj lockout	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/03/10 15:23
S48	0	atherton-scott.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/03/10 15:27
S49	34	("1035535"   "1743170"   "2107954"   "2111721"   "2743805"   "3334716"   "3580372"   "4111291"   "4298112"   "4566577"   "4732251"   "4856637"   "4986403"   "4989711"   "5033598"   "5361882"   "5597060").PN. OR ("5361882"   "5785163").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/29 13:17

## EAST Search History

S50	21	("4111291"   "4732251"   "4856637"   "4986403"   "4989711").PN. OR ("5033598").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/29 13:23
S51	0	atherton-scott.IN. and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:06
S52	0	atherton-scott.IN. and @pd>"20050318"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:07
S53	5	192/105C.ccls. and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:07
S54	2	clutch adj lockout and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:08
S55	3	(clutch SAME (boss and bolt and cut\$out)) and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:10
S56	5	474/14.ccls. and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:10
S57	2	192/70.29.ccls. and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:12
S58	5	192/99A.ccls. and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:12
S59	19	(recess) WITH ((screw or bolt) NEAR accommodate\$) and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:13
S60	0	( ((screw or bolt) NEAR accommodate\$)) and (reduce adj dimension) and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:14
S61	19	( ((screw or bolt) NEAR accommodate\$)) and clutch and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:14

## EAST Search History

S62	1	((recess or indent\$) WITH ((screw or bolt) NEAR accommodate\$)) and clutch and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:16
S63	8	"192"/\$7.ccls. and flange and ((recess or indent\$) WITH accommodate\$) and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:16
S64	4	192/70.3.ccls. and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:17
S65	8	(Honda.AS. or Banshee.AS.) and centrifugal and ATV and @pd>"20050318"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 07:18
S66	0	atherton-scott.IN. and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:30
S67	4	192/105C.ccls. and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:30
S68	1	(clutch adj lockout) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:38
S69	1	(clutch SAME (boss and bolt and cut\$out)) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:39
S70	2	474/14.ccls. and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:40
S71	1	192/70.29.ccls. and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:40
S72	3	(Honda.AS. or Banshee.AS.) and centrifugal and ATV and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:43
S73	2	(clutch adj (lockout or cover)) and post and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:44

## EAST Search History

S74	0	((clutch adj (lockout or cover)) SAME post) and (bolt or screw) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:44
S75	0	((clutch adj (lockout or cover)) SAME post) and (bolt or screw) and @pd>"20060830"	USOCR	OR	ON	2007/01/04 08:45
S76	0	192/99A.ccls. and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:45
S77	0	(post NEAR4 recess) WITH ((screw or bolt) NEAR accommodate\$) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:46
S78	4	(recess) WITH ((screw or bolt) NEAR accommodate\$) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:46
S79	132	((screw or bolt) NEAR accommodate\$) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:48
S80	0	( ((screw or bolt) NEAR accommodate\$)) and (reduce adj dimension) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:49
S81	0	( ((screw or bolt) NEAR accommodate\$)) and (reduc\$2 adj dimension) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:49
S82	2	( ((screw or bolt) NEAR accommodate\$)) and clutch and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:50
S83	0	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and clutch and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:50
S84	0	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "192"/\$7.ccls. and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:51
S85	0	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$)) and "188"/\$7.ccls. and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:51

## EAST Search History

S86	4	((recess or indent\$5) WITH ((screw or bolt) NEAR accommodate\$) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:52
S87	2	"192"/\$7.ccls. and flange and ((recess or indent\$5) WITH accommodate\$) and @pd>"20060830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 08:55
S88	0	((clutch adj cover) and (plate-like adj body) and posts and opening and screws and indent and (positioned adj closely)).clm.	US-PGPUB	OR	ON	2007/01/04 08:56
S89	120	192/89.26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/04 09:36